



Marine Commandmic™



www.pcimiami.com
+1 (305) 822-2258


PORTABLE COMMUNICATIONS, INC
"A Trusted Partner"

HM157B/SW

Remote-Control Microphone

HM157B/SW

COMMANDMICII™ Complete Remote-Control Option

IP-X7 submersible; operates w/the M402, M422, M502 & M602; compliments the M422 perfectly by powering the radio on & off and ability to use the hailer feature via the MIC; large LCD display with Dot Matrix; powerful audio output

The COMMANDMICII™ (HM-157B/SW) remote-control microphone size (W x H x D): 65.5 x 100 x 38 mm; 2.5 x 4 x 1.5 in

Weight (approx.; except cables): 1.625 lbs.

Supplied accessories:

- 20ft connection cable(OPC-1000)
- Metal mounting plate for OPC1000
- Screws needed for mounting plate for OPC1000 (3 screws req.)



HM195/G

COMMANDMIC™ IV Remote-Control Microphone

HM195B/SW – Yellow backlighting

HM195GB/GW – White backlighting

Total control of all communications and Class D DSC functions.

Menu system provides easy and intuitive operation.

The bottom line of the dot-matrix display shows the software key functions, which can be toggled with the left and right buttons.

The directional keypad allows you to perform various operations and settings

IPX7 Submersible rating

Superior audio performance

AquaQuake™

Size (W x H x D): 2.66 x 5.69 x 1.46 in.

Weight (approx.; except cables): 14.1 oz

Supplied accessories:

- 20ft connection cable(OPC-1540)
- Metal mounting plate for OPC-1540
- Screws needed for mounting plate for OPC-1540 (3 screws req.)

